

VorTex™ Triple White D251 is a 7.4 oz., tightly woven polyester that produces a smooth print surface for notable print quality. The material structure allows for a fabric solution with both front-lit and back-lit capabilities. VorTex Triple White D251 is ideal for direct dye-sublimation, Latex and UV print processes. VorTex Triple White D251 has more opacity than similar weight products, making it an excellent choice for SEG frame and pop-up display systems. VorTex Triple White D251 is fire resistant and available 126" widths.

Material Details

CHARACTERISTICS	TEST METHOD	METRIC	ENGLISH
Support Cloth	DIN ISO2076	100% Polyester	
Yarn dtex	N/A	75 D x 300 D	
Total Weight	DIN EN ISO 2286-2	251 g/m ² +/- 5%	7.40 oz/yd ² +/- 5%
Finish	N/A	Semi-Dull (Matte)	
Flame Resistance	DIN 4102	NFPA701 / B1	
Heat Setting Temperature	N/A	200 – 230 °C	

Applications

	Art Reprographic	Banners Indoor	Banners Outdoor	Displays	Flags	Theatrical	Tradeshow	Wall Covering
Applications		■		■				

Ink Printability

Solvent	Eco Solvent	UV	Latex	Screen Printing	Dye Transfer	Dye Direct
		■	■		■	■

Available Sizes

Metric (m)	English (inches)
3.2m	126"

The information on physical and chemical characteristics is based upon tests believed to be reliable. The values are intended only as a source of information. A legally binding guarantee of specific properties is not to be inferred from our specifications. They are given without guaranty and do not constitute a warranty. The purchaser should independently determine, prior to use, the suitability of this material for his/her specific purpose. (Data represents averages and is not intended for use as a specification.)