

Ultraflex frontlit materials are designed to provide a clear, vivid print and offer superior brightness due to being illuminated from the image side. These materials reflect light directly from the front, enhancing visibility and clarity for both indoor and outdoor use. When used for large-format applications, frontlit banners ensure your images stand out with maximum impact.

## Ultima® Supreme- 15 oz.

Rated as one of the industry's strongest and most versatile banners, Ultima® Supreme features a coated, smooth surface that provides exceptional durability in high-stress applications. This material is REACH-compliant, fire resistant, and ideal for a wide range of outdoor applications, including billboards, banners, and truck-side displays.

Printability: Solvent | Eco-Solvent | UV | Latex | Screen



## Normandy® Pro- 13 oz.

Premium banner and billboard material with a high tenacity 1000 × 1000 yarn construction, making it one of the strongest 13 oz. substrates available. This fire resistant material features a unique face film that produces vibrant, consistent graphics and is available in matte finish.

## Normandy® Eclipse® - 13 oz.

Black back-side version of Normandy® Pro and an ideal choice for open framed billboard systems, hanging signs, and similar applications where complete opacity is required.

Printability: Solvent | Eco-Solvent | UV | Latex | Screen



## JetFlex®- 13 oz.

Premium banner material with a high tenacity 1000 × 1000 yarn construction, making it one of the strongest 13 oz. substrates available. This material is fire resistant, features a unique face film that produces vibrant, consistent graphics, and is available in matte and gloss finishes.

Printability: Solvent | Eco-Solvent | UV | Latex | Screen



## Ultima® Pro- 13 oz.

Strong, cross-functional substrate ideal for a wide range of outdoor applications, including building graphics, display systems, and truck-side applications. This material is fire resistant, has a smooth surface, and is available in a matte finish.

Printability: Solvent | Eco-Solvent | UV | Latex | Screen

## SuperPrint® Plus- 13 oz.

SuperPrint® Plus is a banner and billboard substrate featuring a unique face-film providing exceptional ink receptivity for vibrant, consistent graphics. This material is fire resistant and is available in matte and gloss options.

## SuperPrint® Plus Eclipse®- 13 oz.

Black back-side version of SuperPrint® Plus and an ideal choice for front-illuminated hanging signs, billboards, and similar applications where complete opacity is required.

Printability: Solvent | Eco-Solvent | UV | Latex | Screen

## ProFlex®- 13 oz.

An economical alternative to Normandy® Pro, ProFlex® is specially formulated to provide enhanced printability and bright white points. Its formula makes it ideal for graphics where sharp and vivid colors are critical while ensuring text or graphics stand out. This material is fire resistant, available in 750' lengths for large-scale projects, and available with a grey back-side upon request.

Printability: Solvent | Eco-Solvent | UV | Latex | Screen

### **ProFlex® Plus- 13 oz.**

High-quality banner material with excellent ink receptivity and consistent print performance. Its durable construction makes it ideal for indoor and outdoor signage, ensuring long-lasting performance in various weather conditions. This material is ideal for creating vibrant banners for trade shows, events, banner displays, and more. Available in 750' lengths for increased production efficiency.

---

Printability: Solvent | Eco-Solvent | UV | Latex | Screen

### **SuperPrint® Smooth Banner- 10 oz.**

Specifically designed for indoor close viewing applications, this substrate features a super smooth, uniform print surface ideal for high-resolution graphics. It is ideal for retail advertisements, trade shows, exhibitions, and any setting that requires detailed graphics. This material is fire resistant and available in a matte finish.

---

Printability: Solvent | Eco-Solvent | UV | Screen

### **SuperPrint® Economy- 8 oz.**

Economical and lightweight substrate ideal for short-term indoor applications such as hanging banners and POP display systems. This material is fire resistant and is available in matte finish.

---

Printability: Solvent | Eco-Solvent | UV | Latex | Screen

### **Billboard Plus Eclipse®- 8.5 oz.**

Specially formulated for single-pass high-speed printing, this substrate features a black back-side, making it an ideal choice for open framed billboard systems, hanging signs, and similar applications where complete opacity is required. This material is available in 328' long rolls that can increase production efficiency by reducing the time it takes to change material.

---

Printability: Solvent | UV | Latex

### **Billboard Select Eclipse®- 7 oz.**

Specially formulated for single-pass high-speed printing, this lightweight substrate features a black back-side, making it an ideal choice for open framed billboard systems, hanging signs, and similar applications where complete opacity is required. This material is available on 328' long rolls that can increase production efficiency by reducing the time it takes to change material.

---

Printability: Solvent | UV

### **ProFlex® Smooth Banner- 10 oz.**

High-quality banner material designed specifically for interior, close-view graphics. Its ultra-smooth, uniform print surface is ideal for producing detailed, eye-catching graphics for environments where displays attract customer attention. This material is fire resistant, available in a matte finish, and available in 750' lengths for increased production efficiency.

---

Printability: Solvent | Eco-Solvent | UV | Screen

### **UltraBanner®- 10 oz.**

Lightweight banner substrate featuring a smooth, uniform print surface that provides consistent, high-resolution batch printing. This material is available in matte and gloss finishes and is ideal for a wide range of indoor applications, including POP and display systems.

---

Printability: Solvent | Eco-Solvent | UV | Screen

### **SuperPrint® Economy Eclipse®- 7 oz.**

Specially formulated for single-pass high-speed printing, this billboard substrate features a black back-side ideal for open-framed billboard systems, hanging signs, and similar applications where complete opacity is required. Available in 328' long rolls for increased production efficiency compared to a standard 164' roll.

---

Printability: Solvent | Eco-Solvent | UV

### **ProFlex® Billboard Select Eclipse- 7 oz.**

Specially formulated for single-pass high-speed printing, this lightweight substrate is ideal for billboards where complete opacity is required. The material's black back-side prevents light from passing through, ensuring the printed design remains vibrant and clear. Available in 328' long rolls for increased production efficiency compared to a standard 164' roll.

---

Printability: Solvent | UV

## Technical Specifications

Product	Weight	Denier	Tensile Strength lbs/in	Tear Strength	Fire Certifications		
					NFPA 701	Title 19	CSFM
Ultima® Supreme	15 oz/yd <sup>2</sup> (500 g/m <sup>2</sup> )	1000 × 1000	285 × 239	57 × 46	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ultima® Pro	13 oz/yd <sup>2</sup> (440 g/m <sup>2</sup> )	1000 × 1000	228 × 205	61 × 52	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Normandy® Pro	13 oz/yd <sup>2</sup> (440 g/m <sup>2</sup> )	1000 × 1000	156 × 130	25 × 34	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Normandy® Eclipse®	13 oz/yd <sup>2</sup> (450 g/m <sup>2</sup> )	1000 × 1000	172 × 149	104 × 112	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
SuperPrint® Plus	13 oz/yd <sup>2</sup> (440 g/m <sup>2</sup> )	1000 × 1000	154 × 137	55 × 42	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
SuperPrint® Plus Eclipse®	13 oz/yd <sup>2</sup> (440 g/m <sup>2</sup> )	1000 × 1000	154 × 137	55 × 41	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
JetFlex®	13 oz/yd <sup>2</sup> (440 g/m <sup>2</sup> )	1000 × 1000	156 × 130	25 × 34	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
ProFlex®	13 oz/yd <sup>2</sup> (440 g/m <sup>2</sup> )	n/a	77 × 70	22 × 17	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Proflex® Plus	13 oz/yd <sup>2</sup> (440 g/m <sup>2</sup> )	1000 × 1000	149 × 110	16 × 13	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
ProFlex® Smooth Banner	10 oz/yd <sup>2</sup> (340 g/m <sup>2</sup> )	200 × 500	13 × 9	11 × 10	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
SuperPrint® Smooth Banner	10 oz/yd <sup>2</sup> (340 g/m <sup>2</sup> )	200 × 500	72 × 51	28 × 24	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
UltraBanner®	10 oz/yd <sup>2</sup> (340 g/m <sup>2</sup> )	250 × 500	101 × 100	16 × 11	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
SuperPrint® Economy	8 oz/yd <sup>2</sup> (280 g/m <sup>2</sup> )	500 × 500	97 × 86	42 × 30	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
SuperPrint® Economy Eclipse®	7 oz/yd <sup>2</sup> (240 g/m <sup>2</sup> )	n/a	97 × 86	43 × 30	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Billboard Plus Eclipse®	8.5 oz/yd <sup>2</sup> (288 g/m <sup>2</sup> )	n/a	91 × 69	16 × 18	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
ProFlex® Billboard Select Eclipse®	7 oz/yd <sup>2</sup> (237 g/m <sup>2</sup> )	n/a	82 × 75	30 × 17	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Billboard Select Eclipse®	7 oz/yd <sup>2</sup> (237 g/m <sup>2</sup> )	n/a	82 × 75	30 × 17	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Available Widths

Product	30"	38"	54"	60"	63"	72"	80"	98"	102"	126"	150"	177"	193"	196"
Ultima® Supreme •	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Ultima® Pro •	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Normandy® Pro •	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>						
Normandy® Eclipse® •	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>								
SuperPrint® Plus	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
SuperPrint® Plus Eclipse® •	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>								
JetFlex®	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
ProFlex® •	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proflex® Plus •	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
ProFlex® Smooth Banner •	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
SuperPrint® Smooth Banner •	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
UltraBanner®	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
SuperPrint® Economy •	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
SuperPrint® Economy Eclipse® •	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>									
Billboard Plus Eclipse® •	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>									
ProFlex® Billboard Select Eclipse® •	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>											
Billboard Select Eclipse® •	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>											

• Matte finish only

Ultraflex Systems Inc.  
Headquarters

6333 Pelican Creek Circle  
Riverview, FL 33578  
E: sales@ultraflexx.com  
P: (973) 627-8608

Ultraflex Systems Inc.

1578 Sussex Turnpike, Bldg 4  
Randolph, NJ 07869  
E: sales@ultraflexx.com  
P: (973) 627-8608

03/25

All statements, technical information and recommendations about Ultraflex products are based upon tests believed to be reliable but do not constitute a guarantee or warranty. All Ultraflex products are sold with the understanding that the purchaser has independently assumed responsibility in determining the suitability of such product for its purposes. +1/-2 variance is allowed on all specs.